

HIGH PRECISION AUTOMATIC DISPENSERS

Our range of precision dispensing systems make it simple to apply accurate amount of brazing pastes, or other thick fluids such as oil grease, lacquer, glue. By using digital timers and precision air regulators, the dispensers determine the right amount of material to apply and avoid any variability of dosing process. The result is higher productivity and lower production costs, better quality and reliability.



PERFORMUS I

For operator-controlled dispensing applications requiring only a manual deposit.

Features and benefits

- Economical solution
- Easy to use
- Neat and precise dispensing
- Air pressure range 0-7 bar (0-100 psi)
- Vacuum control keeping thin fluids from dripping
- Foot pedal initiation
- Compact design/Minimal work space required



PERFORMUS X100

Easy-to-use, the Performus X100 dispenser reduces costs and improves productivity by delivering precise, repeatable brazing paste or non flowing fluids deposits.

The convenient « Teach » function makes it simple to set initial shot size, to record it and to reproduce it automatically.

The PERFORMUS X100 features vacuum control, time or stedy operation and a digital time/pressure display that makes it the perfect dispenser for applications that requires a high degree of process control.

Features and benefits

- Precise and consistent deposits
- Digital time/pressure display
- Deposit time range 0-99.9 sec.
- Air pressure range 0-7 bar (0-100 psi)
- Teach function
- Steady or timed modes of operation
- Vacuum control keeps thin fluids from dripping between cycles
- Foot pedal initiation
- Compact design
- Metal chassis increases physical protection of the dispenser

PERFORMUS X15

The Performus X15 is available on request with complementary features as a 0-1 bar (0-15 psi) pressure regulator that provides greater control when dispensing thin fluids.



ULTIMUS I

High precision dispenser for critical applications that require a high degree of process control with simultaneous digital display of all dispenser settings and time adjustment as fine as 0.0001 seconds.

Features and benefits

- High precision vaccum control with digital display
- Air pressure range 0-7 bar (0-100 psi)
- Very high precision with a 4-decimal time setting
- All digital multi-function and multilingual display
- 16 memory settings
- Operator security lockout

ULTIMUS II

The Ultimus II is available on request with complementary features as a 0-1 bar (0-15 psi) pressure regulator that provides greater control when dispensing thin fluids.